



(1 / 2)
25•01•20NITE-024
2 0 2 5 - 0 6 - 2 7

Certificate of Accreditation

International Accreditation Japan (IAJapan) hereby accredits the following conformity assessment body as a testing laboratory of Japan National Laboratory Accreditation System.

Accreditation Identification: JNLA Z90121JP Testing

Name of Conformity Assessment Body: East Branch Office, Japan Paint Inspection and Testing Association

Name of Legal Entity: Japan Paint Inspection and Testing Association

Location of Conformity Assessment Body: 636-3, Miyamae, Fujisawa-shi, Kanagawa, 251-0014, JAPAN

(Related office(s) : as the following pages)

Scope of Accreditation: as the following pages

Accreditation Requirement: ISO/IEC 17025:2017*

* The relevant accreditation requirements described in the Accreditation Scheme Document for JNLA are also applied.

Effective Date of Accreditation: 2025-06-29

Expiry Date of Accreditation: 2029-06-28

Date of Initial Accreditation: 2005-06-29

ISHIGE Hiromi

ISHIGE Hiromi

Chief Executive, International Accreditation Japan (IAJapan)

National Institute of Technology and Evaluation

-
- International Accreditation Japan (IAJapan) is a laboratory accreditation body which has signed MRAs of ILAC (International Laboratory Accreditation Cooperation) and APAC (Asia Pacific Accreditation Cooperation).
 - MRA requirements are, in addition to relevant international standards and guides, requirements for participation in proficiency testing programs, surveillance and reassessment, and the policy for the traceability of measurement for MRA purpose.
 - This laboratory fulfills ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This accreditation means this laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).
 - The latest accreditation information is publicly available on IAJapan Website as an accreditation certificate.

Name of Laboratory: East Branch Office, Japan Paint Inspection and Testing Association
 Address: 636-3, Miyamae, Fujisawa-shi, Kanagawa, 251-0014, JAPAN
 Conformity Assessment Activity: Testing (Expect for partial outdoor exposure weathering testing) and Report of testing

Name of Office: Japan Weathering Test Center
 Address: 1034-1, Shincho, Choshi-Shi, Chiba, 288-0825, JAPAN
 Conformity Assessment Activity: Conducting outdoor exposure weathering testing

<Scope of Accreditation>

Effective Date of Accreditation: 2025-06-29					
Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notices
Civil Engineering and Architecture	Building Materials	Strength testing of concrete and cement inorganic materials	Compressive strength etc	Testing Method Standard(s) JIS R 5201 11	-
				Quotation Standard(s) JIS A 6916 7.11 and 7.12	-
		Shape, size testing	Length change rate etc	Testing Method Standard(s) JIS A 1129-3	-
				Quotation Standard(s) JIS A 6916 7.16	-
		Testing for cement or admixtures	Flow value	Testing Method Standard(s) JIS R 5201 12	-
				Quotation Standard(s) JIS A 6909 7.8 JIS A 6916 7.7	-
		Testing of construction coating	Adhesion strength etc, Coating property etc and Degree of chalking	Testing Method Standard(s) JIS A 6909 7.6, 7.7, 7.9, 7.10, 7.11, 7.12, 7.13, 7.14, 7.15, 7.16, 7.17, 7.20, 7.22, 7.23, 7.25, 7.26, 7.27, 7.28, 7.29 and 7.30 JIS A 6916 7.6, 7.8, 7.9, 7.10, 7.13, 7.14, 7.15, 7.17, 7.18 and Appendix A A.2.3 JIS K 5600-8-6	-
		Constructional liquid applied membrane waterproofing material testing	Tensile strength Elongation etc	Testing Method Standard(s) JIS A 6021 7.6, 7.7, 7.8, 7.9, 7.10, 7.11, 7.12 and 7.13 (limited to 7.10.3 a) and b))	-
		Anti-corrosion spray testing	Maximum rust and swelling breadth etc	Testing Method Standard(s) JIS K 5551 7.17 JIS K 5600-7-1 JIS K 5621 7.12 JIS K 5674 7.12	-
				Quotation Standard(s) JIS K 5552 6.10 JIS K 5553 6.10 JIS K 5651 7.25	-
Chemical Goods	Chemical Products	Accelerated weathering test	Grayscale, Gross retention, Degree of chalking, Color difference, Gross retention and Degree of chalking etc	Testing Method Standard(s) JIS A 6909 7.18 and 7.19 JIS K 5600-7-7 JIS K 5600-7-8	-
				Quotation Standard(s) JIS K 5492 6.14 JIS K 5516 7.15 JIS K 5572 7.21 JIS K 5651 7.28 JIS K 5658 7.16 JIS K 5659 7.20 JIS K 5660 7.15 JIS K 5663 7.13 JIS K 5668 7.14 JIS K 5670 6.12	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notices
(continued)	(continued)	(continued)	(continued)	JIS K 5675 7.14 JIS K 5962 7.13	
		Weathering testing	Gross retention Degree of chalking etc	Testing Method Standard(s) JIS K 5600-7-6	-
				Quotation Standard(s) JIS K 5492 6.15 JIS K 5516 7.16 JIS K 5551 7.20 JIS K 5552 6.14 JIS K 5553 6.15 JIS K 5572 7.22 JIS K 5621 7.14 JIS K 5633 7.18 JIS K 5651 7.29 JIS K 5658 7.17 JIS K 5659 7.21 JIS K 5660 7.16 JIS K 5663 7.14 JIS K 5665 8.26 JIS K 5667 7.12 JIS K 5668 7.15 JIS K 5674 7.16 JIS K 5675 7.16 and AppendixB JIS K 5962 7.14	-
		Infrared spectroscopic analysis	Infrared absorption spectrum	Testing Method Standard(s) JIS K 0117 5.2 a)	-
		Coating property testing	Color number etc, Appearance, Color number, Viscosity, Density etc, Dispersity and Pot life	Testing Method Standard(s) JIS K 5421 5.4 and 5.7 JIS K 5531 7.7 JIS K 5562 6.4 JIS K 5600-1-1 4.1 JIS K 5600-2-1 JIS K 5600-2-2 JIS K 5600-2-4 JIS K 5600-2-5 JIS K 5600-2-6 JIS K 5651 7.5 JIS K 5665 8.6.2, 8.9 and 8.25	-
				Quotation Standard(s) JIS K 5421 5.5 and 5.6 JIS K 5492 6.4 and 6.5 JIS K 5511 7.4 and 7.5 JIS K 5516 7.4 JIS K 5531 7.4, 7.5 and 7.6 JIS K 5533 7.4 JIS K 5535 7.4 JIS K 5551 7.4 and 7.9 JIS K 5552 6.4 and 6.8 JIS K 5553 6.4 and 6.7 JIS K 5562 6.5 JIS K 5572 7.4 JIS K 5591 7.4 JIS K 5621 7.4 JIS K 5633 7.4, 7.5 and 7.6 JIS K 5651 7.4 and 7.6 JIS K 5658 7.4 and 7.7 JIS K 5659 7.4 and 7.8 JIS K 5660 7.4 JIS K 5663 7.4 and Appendix4.4	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notices
(continued)	(continued)	(continued)	(continued)	JIS K 5665 8.5, 8.6 and 8.7 JIS K 5667 7.4 JIS K 5668 7.4	
				JIS K 5669 7.4 JIS K 5670 6.5 and 7.4 JIS K 5674 7.4 JIS K 5675 7.4 JIS K 5960 7.4 JIS K 5962 7.4 JIS K 5970 7.4	
		Long-term durability testing of coating	Degree of promoted yellowness etc, Color, Appearance and Gross retention etc	Testing Method Standard(s) JIS K 5421 5.10 JIS K 5511 7.10 and 7.14 JIS K 5516 7.9 JIS K 5572 AppendixC JIS K 5600-7-2 5. JIS K 5600-7-4 JIS K 5621 7.11 JIS K 5674 7.11	-
				Quotation Standard(s) JIS K 5511 7.18 JIS K 5572 7.10 JIS K 5651 7.10 and 7.22 JIS K 5658 7.15 JIS K 5659 7.18 JIS K 5660 7.14 JIS K 5667 7.8 JIS K 5675 7.13 JIS K 5960 7.15	-
		Component testing of coating	Heating residue etc, White pigment value, Metallic zinc in non-volatile matter content etc, Solvent insoluble matter etc, Chlorine, Acid value, Contents of phthalic anhydride, Lead and Density	Testing Method Standard(s) JIS K 5421 5.11, 5.13, 5.14 and 5.15 JIS K 5511 7.17 JIS K 5552 AppendixA and AppendixB JIS K 5553 AppendixA and AppendixB JIS K 5601-1-2 JIS K 5601-2-1 JIS K 5601-2-4 AppendixA JIS K 5633 7.16, Appendix1, Appendix2, Appendix3 and JIS Z 8807 8	-
				Quotation Standard(s) JIS A 6021 7.14 JIS A 5421 5.12 JIS K 5492 6.13 JIS K 5511 7.15 JIS K 5516 7.13 JIS K 5531 7.19 JIS K 5533 7.11 JIS K 5535 7.14 JIS K 5552 6.11 and 6.12 JIS K 5553 6.12 and 6.13 JIS K 5562 6.14 and 6.15 JIS K 5572 7.18 JIS K 5591 7.15 JIS K 5621 7.13 JIS K 5633 7.13 JIS K 5651 7.26 JIS K 5659 7.19 JIS K 5665 8.22 JIS K 5669 7.11 JIS K 5674 7.13 JIS K 5961 6.15	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notices
(continued)	(continued)	Visual characteristic testing of coating film	Diffuse Reflectance etc, Discoloration, Appearance, Contrast ratio, Colorimetry, Specular glossiness and Reflectance of solar radiation	Testing Method Standard(s) JIS K 5511 7.9, 7.11 and 7.13 JIS K 5531 7.14 JIS K 5535 7.10 JIS K 5553 6.9 JIS K 5572 7.8 and 7.12 JIS K 5591 7.11 JIS K 5600-1-1 4.4 JIS K 5600-4-1 JIS K 5600-4-4 JIS K 5600-4-5 JIS K 5600-4-7 JIS K 5602 JIS K 5651 7.13 JIS K 5665 8.10, 8.15, 8.16 and 8.17 JIS K 5675 7.8	-
				Quotation Standard(s) JIS K 5421 5.9 JIS K 5492 6.8, 6.9 and 6.10 JIS K 5511 7.8 and 7.12 JIS K 5516 7.7, 7.8 and 7.10 JIS K 5531 7.10, 7.11 and 7.12 JIS K 5533 7.7 JIS K 5535 7.7 JIS K 5551 7.8 JIS K 5552 6.7 JIS K 5553 6.6 JIS K 5562 6.9 JIS K 5572 7.9 and 7.11 JIS K 5591 7.8 JIS K 5621 7.8 JIS K 5633 7.9 JIS K 5651 7.9 and 7.11 JIS K 5658 7.6, 7.8 and 7.9 JIS K 5659 7.7, 7.9 and 7.10 JIS K 5660 7.9 and 7.10 JIS K 5663 7.8, 7.9 and Appendix 4.6 JIS K 5665 8.14 JIS K 5667 7.7 JIS K 5668 7.8 JIS K 5670 6.7 and 6.9 JIS K 5674 7.8 JIS K 5675 7.7 and 7.10 JIS K 5960 7.9 and 7.12 JIS K 5961 6.7 JIS K 5962 7.8, 7.10 and 7.11 JIS K 5970 7.6	-
		Resistance testing of coating film	Appearance, Mandrel diameter, Pencil hardness, Load, Adhesion, Adhesion strength, Abrasion loss and Viscosity etc	Testing Method Standard(s) JIS K 5531 7.13 and 7.17 JIS K 5562 6.11 JIS K 5572 7.13 JIS K 5600-5-1 JIS K 5600-5-3 JIS K 5600-5-4 JIS K 5600-5-5 JIS K 5600-5-6 JIS K 5600-5-7 JIS K 5600-5-8 JIS K 5600-5-9 JIS K 5600-5-10 JIS K 5600-5-11 JIS K 5600-6-1	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notes
(continued)	(continued)	(continued)	(continued)	JIS K 5600-6-2 JIS K 5600-6-3 JIS K 5651 7.18 and 7.23 JIS K 5658 7.10, 7.13 and 7.14 JIS K 5659 7.14 JIS K 5660 7.13 JIS K 5665 8.8, 8.19, 8.23 and 8.24 JIS K 5668 7.12 JIS K 5675 7.9 and 7.11 JIS K 5961 6.12, 6.13 and 6.16 JIS K 5970 7.9 and 7.11	
				Quotation Standard(s) JIS K 5492 6.11 and 6.12 JIS K 5516 7.14 JIS K 5531 7.15, 7.16 and 7.18 JIS K 5533 7.10 JIS K 5535 7.11,1, 7.11.2, 7.12 and 7.13 JIS K 5551 7.12, 7.13, 7.14 and 7.15 JIS K 5552 6.9 JIS K 5553 6.8 and 6.11 JIS K 5562 6.10, 6.12 and 6.13 JIS K 5572 7.14, 7.15, 7.16 and 7.17 JIS K 5591 7.12.1, 7.12.2, 7.13 and 7.14 JIS K 5621 7.10 JIS K 5633 7.10, 7.11 and 7.12 JIS K 5651 7.14, 7.15, 7.16, 7.17, 7.19, 7.20, 7.21 and 7.24 JIS K 5658 7.11 JIS K 5659 7.12, 7.13, 7.15, 7.16 and 7.17 JIS K 5660 7.11 and 7.12 JIS K 5663 7.10, 7.11, 7.12, Appendix 4.11 and Appendix 4.12 JIS K 5665 8.18, 8.20 and 8.21 JIS K 5667 7.9, 7.10 and 7.11 JIS K 5668 7.9, 7.10 and 7.11 JIS K 5669 7.9, 7.10 and 7.11 JIS K 5670 6.10 and 6.11 JIS K 5674 7.10 JIS K 5675 7.9.2, 7.12 and 7.15 JIS K 5960 7.13, 7.14 and 7.16 JIS K 5961 6.10, 6.11 and 6.14 JIS K 5970 7.8 and 7.10	-
		Functional testing of paint film formation	Appearance, Painting time and Drying time,	Testing Method Standard(s) JIS K 5533 7.8 and 7.9 JIS K 5535 7.8 JIS K 5551 7.7, 7.10 and 7.11 JIS K 5572 7.7 JIS K 5591 7.9 JIS K 5600-1-1 4.2 and 4.3 JIS K 5600-3-1 JIS K 5600-3-2 JIS K 5600-3-3 JIS K 5600-3-4 JIS K 5600-3-6 JIS K 5621 7.9 JIS K 5651 7.12 JIS K 5658 7.12 JIS K 5659 7.11 JIS K 5665 8.13 JIS K 5668 7.13 JIS K 5669 7.5, 7.7 and 7.8	-

Scope of Accreditation	Materials or Products Tested	Test Type (Testing Method(s))	Component, Parameter or Characteristic Tested	Number(s) of JIS, clause and sub-clause	Notices
(continued)	(continued)	(continued)	(continued)	JIS K 5674 7.6 and 7.9 Quotation Standard(s) JIS K 5421 5.8 JIS K 5492 6.6 and 6.7 JIS K 5511 7.6 and 7.7 JIS K 5516 7.5, 7.6, 7.11 and 7.12 JIS K 5531 7.8 and 7.9 JIS K 5533 7.5 and 7.6 JIS K 5535 7.5, 7.6 and 7.9 JIS K 5551 7.6 JIS K 5552 6.5 and 6.6 JIS K 5553 6.5 JIS K 5562 6.7 and 6.8 JIS K 5572 7.5 and 7.6 JIS K 5591 7.6, 7.7 and 7.10 JIS K 5621 7.6 and 7.7 JIS K 5633 7.7 and 7.8 JIS K 5651 7.7 and 7.8 JIS K 5658 7.5 JIS K 5660 7.5 and 7.8 JIS K 5663 7.5, 7.7, Appendix4.5, Appendix4.9 and JIS K 5665 8.11 JIS K 5667 7.5 and 7.6 JIS K 5668 7.5 and 7.7 JIS K 5669 7.6 JIS K 5670 6.6 and 6.8 JIS K 5674 7.7 JIS K 5675 7.5 JIS K 5960 7.5, 7.8, 7.10 and 7.11 JIS K 5961 6.4, 6.6, 6.8 and 6.9 JIS K 5962 7.5, 7.7, 7.9 and 7.12 JIS K 5674 7.8	-
		Stability testing of coating storage	Condition in container, Viscosity etc and Appearance	Testing Method Standard(s) JIS K 5562 6.6 JIS K 5591 7.5 JIS K 5600-2-7 4., 5. and 7. JIS K 5669 7.13	-
				Quotation Standard(s) JIS K 5551 7.5 JIS K 5591 7.16 JIS K 5621 7.5 JIS K 5651 7.27 JIS K 5659 7.5 JIS K 5660 7.7 JIS K 5663 7.6 and Appendix4.8 JIS K 5665 8.12 JIS K 5668 7.6 JIS K 5674 7.5 JIS K 5675 7.6 JIS K 5960 7.6 and 7.7 JIS K 5961 6.5 JIS K 5962 7.6	-

Remarks: The latest scope of accreditation that are published on the official gazetta, IAJapan web site and so on are applied to the detail of scope of accreditation.

(End of Certificate)