

Certificate of Accreditation

International Accreditation Japan (IAJapan) hereby accredits the following conformity assessment body as a testing laboratory of ASNITE accreditation program.

Accreditation Identification: ASNITE 0123 Testing

Name of Conformity Assessment Body: Yamanashi Prefecture Food Hygiene Association

Name of Legal Entity: Yamanashi Prefecture Food Hygiene Association

Location of Conformity Assessment Body: 1145-1, Kosemachi, Kofu-shi, Yamanashi 400-0836,

Japan

Scope of Accreditation: As the following pages

Accreditation Requirement: ISO/IEC 17025:2017*

* The relevant accreditation requirements described in the Accreditation Scheme Document for ASNITE-T (E) are also applied.

Effective Date of Accreditation: 2024-10-23

Expiry Date of Accreditation: 2028-10-22

Date of Initial Accreditation: 2015-01-26

ISHIGE Hiromi

ISHIGE Hiromi

Chief Executive, International Accreditation Japan (IAJapan)

National Institute of Technology and Evaluation

⁻ International Accreditation Japan (IAJapan) is a laboratory accreditation body which has signed MRAs of ILAC (International Laboratory Accreditation Cooperation) and APAC (Asia Pacific Accreditation Cooperation).

⁻ MRA requirements are, in addition to relevant international standards and guides, requirements for participation in proficiency testing programs, surveillance and reassessment, and the policy for the traceability of measurement for MRA purpose.

⁻ This laboratory fulfills ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. This accreditation means this laboratory meets both the technical competence requirements and management system requirements that are necessary for it to consistently deliver technically valid test results and calibrations (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

⁻ The latest accreditation information is publicly available on IAJapan Website as an accreditation certificate.

(Attachment)

Name of Laboratory: Yamanashi Prefecture Food Hygiene Association

Address of Laboratory: 1145-1, Kosemachi, Kofu-shi, Yamanashi 400-0836, Japan

Work to Carry Out: Control of management system, Service to the customer, Review of requests,

Sampling, Sample storage, Analytical test, Ensuring the validity of results,

Reporting of result

Accreditation Scope					Effective Date
Category	Sub-	Measurement	Testing Items	Test Methods	of
	Category	Techniques			Accreditation
Chemical	Water	ICP/MS	Cd, Se, Pb, As, Cr(VI), B,	MHLW Notification No. 261:	2024-10-23
Products			Zn, Al, Fe, Cu, Na, Mn/	2003 (Revised to MOE	
			Tap water, Drinkable	Notification No.25:2025)	
			Water in Well, Drinking	Appended table 6	
			Water and Raw Water		
			(include sampling)		
		Microbioassay	General Bacteria/	MHLW Notification No. 261:	2024-10-23
			Tap water,	2003 (Revised to MOE	
			Drinkable Water in Well,	Notification No.25:2025)	
			Drinking Water and	Appended table 1	
			Raw Water	Standard Method for the	
			(include sampling)	Examination of Water IV.	
				(JWWA:2020)	
		Enzyme	Escherichia coli/	MHLW Notification No. 261:	2024-10-23
		Method	Tap water,	2003 (Revised to MOE	
			Drinkable Water in Well,	Notification No.25:2025)	
			Drinking Water and	Appended table 2	
			Raw Water	SM9223 Enzyme Substrate	2024-12-10
			(include sampling)	Coliform Test	

[NOTE]

MHLW: Ministry of Health, Labour and Welfare

JWWA: Japan Water Works Association MOE: Ministry of the Environment

(End of Attachment)